

# ECOJET Replacement

# CSA certified



- Driving innovation
- Ensuring quality and safety
- Providing peace of mind
- Identifying potential safety risks
- Reducing environmental impact
- Enhancing trade




# LEADER ECOJET Replaced by DAB JETCOM




# ECOJET vs JETCOM

	ECOJET 110	JETCOM 82	ECOJET 120	JETCOM 102	ECOJET 130	JETCOM 132
Voltage	115v Single voltage	115 / 230v Dual Voltage	115v Single voltage	115 /230v Dual Voltage	115v Single voltage	115-230v Dual Voltage
P1 Watts / Hp	800w / 0.5Hp	930 w /0.8 Hp	1000w / 0.75 Hp	1120w / 1 Hp	1250w / 1 Hp	1570w/1.36 Hp
Amps	7.8	8.21 / 4.22	9.8	10.3 / 5.25	11.8	14.7 / 7.52
Liquid temp	32°F to 95°F	32°F to 104°F	32°F to 95°F	32°F to 104°F	32°F to 95°F	32°F to 104°F
Max Suction	26 ft	26 ft	26 ft	26 ft	26 ft	26 ft
Max Head	138 ft	154 ft	164 ft	177 ft	164 ft	158 ft
Max pressure	60 psi	66 psi	71 psi	76 psi	71 psi	68 psi
Max flow	16gpm	16 gpm	16 gpm	16 gpm	21 gpm	23 gpm
Pump length	16"	16"	16"	16.7"	16 "	16.7"
Pump width	8.7"	6.7"	8.7"	6.7"	8.7"	6.7"
Pump Height	9.5"	7.8"	9.5"	8.0"	9.5"	8.0"
Pump Weight	19 lbs	17 lbs	21 lbs	21 lbs	23 lbs	23 lbs

# ECOJET 110 vs JETCOM 82



# ECOJET 120 vs JETCOM 102



# ECOJET 130 vs JETCOM 132

